



**Test Report**

No.T32620270053TC

Date: Jan 19, 2026

Page 1 of 7

POLYKOTE INK & PAINT (SHENZHEN) LTD.  
NO. 118, HUANG PU ROAD, SHAJING SUBDISTRICT, BAOAN, SHENZHEN, CHINA (ZIP CODE: 518125)

The following samples were submitted and identified by/on behalf of the client as:  
SEE THE ATTACHMENT

Case No. : CA326202702699  
Sample Receiving Date : JAN 05, 2026  
Testing Period : JAN 05, 2026 – JAN 19, 2026

Selected test(s) as requested by the client, please refer to test result page(s) for details:

Test Requested	Conclusion
1. European RoHS Directive 2011/65/EU Annex II; recasting 2002/95/EC	PASS
2. European RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU – DEHP, BBP, DBP and DIBP content	PASS

\*\*\*\*\* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) \*\*\*\*\*

Signed for and on behalf of  
SGS Hong Kong Ltd.



To Man Wah, Po  
Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.





## Test Report

No.T32620270053TC

Date: Jan 19, 2026

Page 2 of 7

**Attachment:**

STYROLAC PAINT & INK NO.:	PAINT & INK COLOR :
6611 / 7061 / 6911 / 7001 / PS / T / 26- / S- / F / 8101-8 / 621 / 911 / M	White/Black/Fluorescent Color
6 / 7 / T / 26- / S- / 020 / 111B / 114 / 115 / 195 / 333 / B / C / 872 / M	Orange/Red/Magenta/Brown
6 / 7 / T / 26- / S- / 210 / 213 / 222 / 244A / LUMINOUS / M	Yellow
6 / 7 / T / 26- / S- / 791 / 391 / 385 / 371A / 083 / M	Green/Blue/Violet
T / 26- / S- / H / 1 / 00 / 1 / 2 / 6 / 1010 / 1032 / 1033 / 1037 / 000 / A / B / J / 1801 / 1811 / 1813 / 1818 / 1853	Silver/Pearl w/Lacquer
2326 PAINT SERIES	Air Dry Enamel Paint

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Test Results:**

**1. European RoHS Directive 2011/65/EU Annex II; recasting 2002/95/EC**

Cadmium, Lead, Mercury, Hexavalent Chromium, Polybromobiphenyl (PBB) and Polybromodiphenyl ether (PBDE) content

Method :

For Lead, Cadmium : With reference to IEC 62321-5:2013, analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES) / Atomic Absorption Spectrometer (AAS).

For Mercury : With reference to IEC 62321-4:2013+AMD1:2017, analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

For PBB and PBDEs : With reference to IEC 62321-6:2015, analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

For Chromium (VI) : With reference to IEC 62321-7-2:2017, analysis was performed by Ultraviolet Visible Spectrophotometer (UV-Vis)

Test Item(s)	Unit	Result			MDL	Permissible Limit
		1	2	3		
Lead (Pb)	mg/kg	ND	ND	ND	5	1000
Cadmium (Cd)	mg/kg	ND	ND	ND	5	100
Mercury (Hg)	mg/kg	ND	ND	ND	5	1000
Hexavalent Chromium (CrVI) by alkaline extraction	mg/kg	ND	ND	ND	5	1000
Sum of PBBs	mg/kg	ND	ND	ND	--	1000
Monobromobiphenyl	mg/kg	ND	ND	ND	5	--
Dibromobiphenyl	mg/kg	ND	ND	ND	5	--
Tribromobiphenyl	mg/kg	ND	ND	ND	5	--
Tetrabromobiphenyl	mg/kg	ND	ND	ND	5	--
Pentabromobiphenyl	mg/kg	ND	ND	ND	5	--
Hexabromobiphenyl	mg/kg	ND	ND	ND	5	--
Heptabromobiphenyl	mg/kg	ND	ND	ND	5	--
Octabromobiphenyl	mg/kg	ND	ND	ND	5	--
Nonabromobiphenyl	mg/kg	ND	ND	ND	5	--
Decabromobiphenyl	mg/kg	ND	ND	ND	5	--
Sum of PBDEs	mg/kg	ND	ND	ND	--	1000
Monobromodiphenyl ether	mg/kg	ND	ND	ND	5	--
Dibromodiphenyl ether	mg/kg	ND	ND	ND	5	--
Tribromodiphenyl ether	mg/kg	ND	ND	ND	5	--
Tetrabromodiphenyl ether	mg/kg	ND	ND	ND	5	--
Pentabromodiphenyl ether	mg/kg	ND	ND	ND	5	--
Hexabromodiphenyl ether	mg/kg	ND	ND	ND	5	--
Heptabromodiphenyl ether	mg/kg	ND	ND	ND	5	--
Octabromodiphenyl ether	mg/kg	ND	ND	ND	5	--
Nonabromodiphenyl ether	mg/kg	ND	ND	ND	5	--
Decabromodiphenyl ether	mg/kg	ND	ND	ND	5	--
<b>Comment</b>		PASS	PASS	PASS	--	--

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item(s)	Unit	Result			MDL	Permissible Limit
		4	5	6		
Lead (Pb)	mg/kg	ND	ND	ND	5	1000
Cadmium (Cd)	mg/kg	ND	ND	ND	5	100
Mercury (Hg)	mg/kg	ND	ND	ND	5	1000
Hexavalent Chromium (CrVI) by alkaline extraction	mg/kg	ND	ND	ND	5	1000
Sum of PBBs	mg/kg	ND	ND	ND	--	1000
Monobromobiphenyl	mg/kg	ND	ND	ND	5	--
Dibromobiphenyl	mg/kg	ND	ND	ND	5	--
Tribromobiphenyl	mg/kg	ND	ND	ND	5	--
Tetrabromobiphenyl	mg/kg	ND	ND	ND	5	--
Pentabromobiphenyl	mg/kg	ND	ND	ND	5	--
Hexabromobiphenyl	mg/kg	ND	ND	ND	5	--
Heptabromobiphenyl	mg/kg	ND	ND	ND	5	--
Octabromobiphenyl	mg/kg	ND	ND	ND	5	--
Nonabromobiphenyl	mg/kg	ND	ND	ND	5	--
Decabromobiphenyl	mg/kg	ND	ND	ND	5	--
Sum of PBDEs	mg/kg	ND	ND	ND	--	1000
Monobromodiphenyl ether	mg/kg	ND	ND	ND	5	--
Dibromodiphenyl ether	mg/kg	ND	ND	ND	5	--
Tribromodiphenyl ether	mg/kg	ND	ND	ND	5	--
Tetrabromodiphenyl ether	mg/kg	ND	ND	ND	5	--
Pentabromodiphenyl ether	mg/kg	ND	ND	ND	5	--
Hexabromodiphenyl ether	mg/kg	ND	ND	ND	5	--
Heptabromodiphenyl ether	mg/kg	ND	ND	ND	5	--
Octabromodiphenyl ether	mg/kg	ND	ND	ND	5	--
Nonabromodiphenyl ether	mg/kg	ND	ND	ND	5	--
Decabromodiphenyl ether	mg/kg	ND	ND	ND	5	--
<b>Comment</b>		PASS	PASS	PASS	--	--

**Specimen Description:**

- White, black, fluorescent ink (6611 / 7061 / 6911 / 7001 / PS / T / 26- / S- / F / 8101-8 / 621 / 911 / M)
- Orange, red, magenta, brown ink (6 / 7 / T / 26- / S- / 020 / 111B / 114 / 115 / 195 / 333 / B / C / 872 / M)
- Yellow ink (6 / 7 / T / 26- / S- / 210 / 213 / 222 / 224A / LUMINOUS / M)
- Green, blue, violet ink (6 / 7 / T / 26- / S- / 791 / 391 / 385 / 371A / 083 / M)
- Silver, pearl w/ lacquer ink (T / 26- / S- / H / 1 / 00 / 1 / 2 / 6 / 1010 / 1032 / 1033 / 1037 / 000 / A / B / J / 1801 / 1811 / 1813 / 1818 / 1853)
- Air dry enamel paint ink (2326 PAINT SERIES)

- Note:
1. mg/kg = milligram per kilogram
  2. ND = Not Detected

Remark: Results shown as ND are ignored in the sum calculation

**2. European RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU – DEHP, BBP, DBP and DIBP content**

Method : With reference to IEC 62321-8:2017. Analysis was performed by Gas Chromatography / Mass Spectrometry

Test Item	CAS No.	Result (%)			Reporting Limit (%)	Permissible Limit (%)
		1	2	3		
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.003	0.1
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.003	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.003	0.1
Comment	--	PASS	PASS	PASS	--	--

Test Item	CAS No.	Result (%)			Reporting Limit (%)	Permissible Limit (%)
		4	5	6		
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.003	0.1
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.003	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.003	0.1
Comment	--	PASS	PASS	PASS	--	--

**Specimen Description:**


- White, black, fluorescent ink (6611 / 7061 / 6911 / 7001 / PS / T / 26- / S- / F / 8101-8 / 621 / 911 / M)
- Orange, red, magenta, brown ink (6 / 7 / T / 26- / S- / 020 / 111B / 114 / 115 / 195 / 333 / B / C / 872 / M)
- Yellow ink (6 / 7 / T / 26- / S- / 210 / 213 / 222 / 224A / LUMINOUS / M)
- Green, blue, violet ink (6 / 7 / T / 26- / S- / 791 / 391 / 385 / 371A / 083 / M)
- Silver, pearl w/ lacquer ink (T / 26- / S- / H / 1 / 00 / 1 / 2 / 6 / 1010 / 1032 / 1033 / 1037 / 000 / A / B / J / 1801 / 1811 / 1813 / 1818 / 1853)
- Air dry enamel paint ink (2326 PAINT SERIES)

- Note:
- mg/kg = milligram per kilogram
  - ND = Not Detected

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Flowchart:



- Note : 1. For Cr(VI), spot test is adopted for metal sample.  
 2. The Cd and Pb contents test on polymeric samples were dissolved totally by pre-conditioning method according to above flow chart.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Remark:**

When statement of conformity is made, unless inherent in the requested specification, the decision rule would be based on the non-binary statement with guard band (is equal to the expanded measurement uncertainty with a 95% coverage probability,  $w = U_{95}$ ) in ILAC-G8:09/2019 Clause 4.2.3.

“Pass - the measured value is within (or below / above) the acceptance limit, where the acceptance limit is below / above to the guard band.” or “Pass - The measured values were observed in tolerance at the points tested. The specific false accept risk is up to 2.5%.”.

“Fail - the measured value is out of (or below / above) the tolerance limit added / subtracted to the guard band.” or “Fail - One or more measured values were observed out of tolerance at the points tested”. The specific false reject risk is up to 2.5%.

“Inconclusive – It is not possible to state the conformity. Either one or more measured values were observed in the portion of the expanded measurement uncertainty intervals at the points tested where the specific risk is up to 50%.”

**Sample Photo:**

Pic.1



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.